MATERIALS SCIENCE AND ENGINEERING A VOLUME 164, NUMBERS 1–2, MAY 30, 1993

Contents

Preface ix

Organizing Committee x

Work softening and Hall–Petch hardening in extruded mechanically alloyed alloys 1
H. G. F. Wilsdorf and D. Kuhlmann-Wilsdorf (Charlottesville, VA, USA)

On the dynamic origin of dislocation structures in deformed solids 15
J. Kratochvíl (Prague, Czech Republic)

Modelling the spatiotemporal aspects of the Portevin–Le Châtelier effect 23
P. Hähner (Stuttgart, Germany)

Plastic instabilities and their relation to fracture 35
Y. Brechet, F. Louchet (St. Martin d'Hères, France) and T. Magnin (Villeneuve d'Ascq, France)

Dislocation and kink dynamics in f.c.c. metals studied by mechanical spectroscopy 42
W. Benoit, G. Gremaud and B. Quenet (Lausanne, Switzerland)

Screened disclinations in solids 58
A. E. Romanov (Stuttgart, Germany)

Mechanisms of yield stress anomalies in beryllium and Ni_3Al 69
D. Caillard, A. Couret and G. Molenat (Toulouse, France)

Collective behavior and superdislocation motion in $L1_2$ alloys 82
D. C. Chrzan and M. J. Mills (Livermore, CA, USA)

Structure and characterization of the dislocations in tilt grain boundaries between $\Sigma = 1$ and $\Sigma = 3$: a high resolution electron microscopy study 93
J. Thibault, J. L. Putaux (Grenoble, France), A. Jacques, A. George (Nancy, France), H. M. Michaud and X. Baillin (Grenoble, France)

Misfit dislocation generation mechanisms in heterostructures 101
W. A. Jesser and J. Kui (Charlottesville, VA, USA)

Evolution of dislocation structure on the interfaces associated with diffusionless phase transitions 111
A. M. Kosevich and V. S. Boiko (Kharkov, Ukraine)

Dislocation loops at crack tips: nucleation and growth—an experimental study in silicon 118
A. George and G. Michot (Nancy, France)

Dislocation dynamics and brittle-to-ductile transitions 135
S. G. Roberts, M. Ellis and P. B. Hirsch (Oxford, UK)

Internal stresses and scaling laws 141
G. Saada (Chatillon, France)

Deformation, structure and properties of ceramics and crystals of high-T_c superconductors 146
V. S. Bobrov (Moscow, Russian Federation)

Structure and mobility of the polygonized dislocation walls in high purity aluminium 153
M. L. Nó and J. San Juan (Bilbao, Spain)

Deformation mechanisms of a ferritic–martensitic steel between 290 and 870 K 159
P. Marmy (Villigen, Switzerland), J. L. Martin (Lausanne, Switzerland) and M. Victoria (Villigen, Switzerland)

On the effect of nitrogen on the dislocation structure of austenitic stainless steel 164
P. Müllner, C. Solenthaler, P. Uggowitzer and M. O. Speidel (Zürich, Switzerland)

Dislocation cell structures in copper in torsion and tension 170
M. N. Bassim and C. D. Liu (Winnipeg, Man., Canada)

Dislocation distributions as seen by X-ray line profiles 175
T. Ungár (Budapest, Hungary), H. Biermann and H. Mughrabi (Erlangen, Germany)

The influence of dislocations on electrical resistivity anomalies in palladium alloys 180
C. I. Lang and M. P. Shaw (Rondebosch, South Africa)

Dislocation structure in $L1_2$ long-range-ordered $Ni_3(Al, Ti)$ deformed in the temperature regime between −196 °C and 800 °C . 186
A. Korner (Vienna, Austria)

Dynamic recovery of the microstructure of screw dislocations in high purity b.c.c. metals 191
G. D'Anna and W. Benoit (Lausanne, Switzerland)

Heterogeneous dislocation loop nucleation and free surface effects on plastic deformation: an *in situ* transmission electron microscopy study 196
W. Zielinski (Minneapolis, MN, USA), R. R. Keller (Erlangen, Germany) and W. W. Geberich (Minneapolis, MN, USA)

Effect of precipitation on the development of dislocation substructure in low carbon steels during cold deformation 201
J. Copreaux, S. Lanteri and J.-H. Schmitt (Germain-en-Laye, France)

Transformation of dislocation patterns in fatigued copper single crystals 206
U. Holzwarth and U. Essmann (Stuttgart, Germany)

Dislocation activity and differences between tensile and compressive creep of yttria doped alumina 211
S. Lartigue, L. Priester (Orsay, France), F. Dupau (Arcueil, France), P. Gruffel and C. Carry (Lausanne, Switzerland)

High temperature deformation behavior of an Al–Fe–V–Si alloy 216
F. Carreño, G. González-Doncel and O. A. Ruano (Madrid, Spain)

Dislocation-associated elastic energy storage in mechanical deformations. 220
A. Abel (Sydney, Australia)

Dislocation structure and corduroy contrast in a 316L alloy fatigued at (0.3–0.5) T_m 226
M. Gerland, J. Mendez, J. Lépinoux and P. Violan (Poitiers, France)

On sequences of stable and unstable regions of flow along stress–strain curves of solid solutions—experiments on Cu–Mn polycrystals 230
A. Kalk, Ch. Schwink and F. Springer (Braunschweig, Germany)

Plastic deformation of single glide oriented Cu–2 to 15at.%Al crystals at elevated temperatures 235
C. Engelke, J. Plessing and H. Neuhäuser (Braunschweig, Germany)

Onset mechanisms of discontinuous flow at low temperatures in one- and two-phase Cu–Be alloys 240
V. Groger and M. Zehetbauer (Wien, Austria)

Hardening and softening in Zr–Sn crystals 246
Z. Trojanová, P. Lukáč (Prague, Czech Republic) and A. Dlouhý (Brno, Czech Republic)

Low-temperature abrupt deformation processes in metals: kinetic and statistical properties observed by means of electronic response 252
V. S. Bobrov, Y. Ya. Kravchenko and M. A. Lebyodkin (Moscow, Russian Federation)

Rheological behaviour of mild steel under monotonic loading conditions and cross-loading 255
E. F. Rauch and S. Thuillier (St. Martin d'Hères, France)

The Portevin–Le Châtelier effect in Al–2.92%Mg–0.38%Mn alloy and linear location of acoustic emission 260
F. Chmelík, Z. Trojanová, Z. Převorovský and P. Lukáč (Prague, Czech Republic)

Stress corrosion microcleavage in a ductile f.c.c. alloy 266
J. Lépinoux (Poitiers, France) and T. Magnin (Villeneuve d'Ascq, France)

Dislocation-controlled stable crack growth in Mo and MgO 270
A. S. Booth, M. Ellis, S. G. Roberts and P. B. Hirsch (Oxford, UK)

Low-energy dislocations and ductility of ferritic steels 275
S. T. Mandziej (Enschede, Netherlands)

The peak of flow stress in the $L1_2$ structure and the elimination of Kear–Wilsdorf locks 281
G. Saada and P. Veyssière (Châtillon, France)

Calculation of cross-slip parameters in f.c.c. crystals. 286
W. Püschl and G. Schoeck (Vienna, Austria)

Modelling high temperature creep of academic and industrial materials using the composite model. 290
M. Meier and W. Blum (Erlangen, Germany)

Dynamical model of the wall structure in persistent slip bands of fatigued metals
I. Dynamical model of edge dislocation walls 295
K. Differt and U. Essmann (Stuttgart, Germany)

Investigation of the formation of dislocation cell structures and the strain hardening of metals by computer simulation 300
X. F. Fang and W. Dahl (Aachen, Germany)

Role of the secondary slip system in a computer simulation model of the plastic behaviour of single crystals 306
I. Groma (Budapest, Hungary) and G. S. Pawley (Edinburgh, UK)

Low-temperature dislocation internal friction in crystals 312
V. D. Natsik and P. P. Pal-Val (Kharkov, Ukraine)

Ultrasonic study of the interaction potential between a dislocation and a single solute atom. 316
T. Kosugi and T. Kino (Higashi-Hiroshima, Japan)

Effects of magnetic fields on the dislocation unlocking from paramagnetic centers in non-magnetic crystals 322
V. I. Alshits, E. V. Darinskaya and E. A. Petrzhik (Moscow, Russian Federation)

A dislocation model for internal damping due to the thermal expansion mismatch between matrix and particles in microheterogeneous materials 327
A. Vincent, C. Girard, G. Lormand, X. Zhou and R. Fougères (Villeurbanne, France)

Interaction between dislocations and precipitates in an Al–Li alloy 332
U. Messerschmidt and M. Bartsch (Halle/Saale, Germany)

Comparison between simulation calculations and measurements concerning athermal yielding of precipitation hardening of Cu–Co single crystals 340
A. Fuchs and D. Rönnpagel (Braunschweig, Germany)

Dislocation-point defects interaction in semiconductors and kink mobility 346
V. I. Nikitenko, B. Ya. Farber, Yu. L. Iunin and V. I. Orlov (Moscow, Russian Federation)

Softening of α-iron by solute nitrogen atoms investigated between 30 and 300 K by use of stress-relaxation measurements. . . . 350
D. Brunner and J. Diehl (Stuttgart, Germany)

Mechanisms of dislocation motion and multiplication in ionic and semiconductor crystals 356
V. P. Kisel (Moscow, Russian Federation)

Dislocation substructures in plastically deformed AlN 360
V. Audurier, J. L. Demenet and J. Rabier (Poitiers, France)

The influence of Peierls relief on low-temperature plasticity of CdTe single crystals 364
V. G. Lirtsman, S. V. Lubenets, V. D. Natsik and L. S. Fomenko (Kharkov, Ukraine)

A new internal friction peak and the problem on the Peierls potential in f.c.c. metals 368
T. Kosugi and T. Kino (Higashi-Hiroshima, Japan)

A method for simulating electron microscope dislocation images 373
R. Schäublin and P. Stadelmann (Lausanne, Switzerland)

On the relationship between unusual mechanical properties and deformation substructures in ordered Ni_3Al 379
N. Baluc, J. Bonneville, K. J. Hemker, J. L. Martin, R. Schäublin and P. Spätig (Lausanne, Switzerland)

A weak beam study of the dislocation structure in directionally solidified Ni_3Al during deformation 384
D. Lin and M. Wen (Shanghai, China)

Dislocation core structures in the ordered intermetallic alloy TiAl 391
K. J. Hemker, B. Viguier (Lausanne, Switzerland) and M. J. Mills (Livermore, CA, USA)

Observations of dislocations relevant to the anomalous yield stress in $L1_2$ alloys 395
P. B. Hirsch and Y. Q. Sun (Oxford, UK)

Transmission electron microscope *in situ* deformation of MC2 superalloy at room temperature 401
M. Benyoucef, N. Clément and A. Coujou (Toulouse, France)

Substructure of dislocations in the (111) plane in Ni_3Ga single crystals, 407
G. Molenat, D. Caillard (Toulouse, France), Y. Sun (Oxford, UK) and A. Couret (Toulouse, France)

The stress fields of edge dislocations near wedge-shaped boundaries and bonded wedges. 411
M. Hecker (Dresden, Germany) and A. E. Romanov (St. Petersburg, Russian Federation)

Interactions between lattice dislocations and grain boundaries in $L1_2$ ordered compounds investigated by *in situ* transmission electron microscopy and computer modelling experiments 415
J. T. M. de Hosson and B. P. Pestman (Groningen, Netherlands)

Arrangement of misfit dislocations at Ti_3Al/TiAl phase boundaries 421
W. Wunderlich, G. Frommeyer and P. Czarnowski (Düsseldorf, Germany)

Image forces on dislocations: the elastic modulus effect 428
M. Benlahsen, J. Lépinoux and J. Grilhé (Poitiers, France)

Misfit dislocations and other defects in thin films 433
M. Yu. Gutkin, A. L. Kolesnikova (St. Petersburg, Russian Federation) and A. E. Romanov (Stuttgart, Germany)

Twin propagation in TiAl 438
S. Farenc, A. Coujou and A. Couret (Toulouse, France)

Changes of stacking fault sequences during the martensitic phase transformation in Cu–Zn–Al shape memory alloys. 443
J. Stoiber and R. Gotthardt (Lausanne, Switzerland)

Twins and properties of classical and high-T_c superconductors 449
V. S. Bobrov and M. A. Lebyodkin (Moscow, Russian Federation)

AUTHOR INDEX 454

SUBJECT INDEX 455